

26 OCT 67 19 53z

25X1

NNNNZCZC983

FTP005/261940Z ZPO [REDACTED]

BT

25X1

XXXXX

OPCEN [REDACTED]

25193

25X1

25X1

25X1

25X1

TOP SECRET 261934Z CITE [REDACTED]

25X1

PRIORITY [REDACTED]

INFO [REDACTED]

A. BX 5729

B. INS-FILM CORRELATION REPORT

C. INS 010

D. 1. INS TAPE AND FILM AGREE

2. INS TAPE AND FILM AGREE

3. INS TAPE AND FILM AGREE

4. INS TAPE READING WAS HIGHER THAN FILM BY A RANGE OF .0004

TO .0010 RAD/SEC THROUGHOUT MISSION.

5. SATISFACTORY

6. SATISFACTORY

7. SATISFACTORY

8. SATISFACTORY

9. SATISFACTORY

10. FILM CLOCK WAS A CONSTANT ONE SECOND HIGHER THAN INS TAPE

THROUGHOUT MISSION.

E. SATISFACTORY CORRELATION HAS BEEN ACHIEVED ON THIS MISSION.

TOP SECRET

BT

25X1

NNNNMABZCZC720

FTP660/202008Z ZFF1 ZPO [REDACTED]

BT

XXXXX

OPCEN [REDACTED]

25X1

25X1

25X1

25X1

S E C R E T

202001Z

CITE [REDACTED]

IMMEDIATE [REDACTED]

INFO [REDACTED]

1. BX 6729

2. AN EXAMINATION OF THE TWO REPRODUCTIONS RECEIVED INDICATE THE FOLLOWING:

A. THE DENSITY AND THE RESOLUTION ARE BETTER ON THE FIRST PASS ON THIS MISSION. THE HIGH CONTRAST AND DENSITY ON THE SECOND PASS INTRODUCES A GRANULAR APPEARANCE IN THE REPRODUCTIONS CAUSING A LOSS IN RESOLUTION (EXAMPLE: FRAMES 213/214 VERSUS 773/774).

B. THE REPRODUCTIONS FROM THE AFT CAMERA (EVEN NUMBERED FRAMES) PROVIDE BETTER RESOLUTIONS THAN THE FWD CAMERA. EXAMPLES: FRAMES 225/226; 265/266; 367/368; 397/398; 735/736.

C. THE DATA BLOCK IS NOT CONSISTENTLY SHARP. ~~AND~~ AFTER FRAME 702 THE INFORMATION IS DIFFICULT TO READ AND THE CLOCK IS DEFINITELY OUT OF FOCUS.

3. THE SHUTTER SPEED (1/170) DOES NOT APPEAR TO INTRODUCE SMEAR. AN ISOLATED INSTANCE OF ROLL SMEAR WAS DETECTED IN FRAME 609 WHILE THE VEHICLE WAS IN A TURN.

4. A COMPLETE EVALUATION WILL BE MADE UPON RECEIPT OF THE ORIGINAL NEGATIVE.

S E C R E T

BT

20 OCT 67 20 22Z
S
J
25059
K

25X1

25X1

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

Next 4 Page(s) In Document Exempt

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

19067 06 55z

ZCZC634EIA521ALA826

00 RUEIWF

DE RUALYK 106 2920630

ZNY XXXXX

O 190600Z ZFF1

BT

XXXXX

2199Z

TO BE PROCESSED BY SPECIAL DESIGNEES ONLY

25X1

25X1

25X1

OPCEN [REDACTED]

25X1

25X1

25X1

TOP SECRET 190600Z CITE [REDACTED]

IMMEDIATE [REDACTED] INFO [REDACTED]

- A. BX6729
- B. FILM EVALUATION REPORT
- C. TYPE I/F/3147
- D. FULTRON 202/MX-578/1 MIN 4 SEC/78 DEGREES F.
- E. 2.60/2.60
- F. 3424/2156-269-4-10-6/DNA
- G. (1) GOOD
- (2) GOOD
- (3) MEDIUM
- (4) GOOD
- (5) OPERATIONAL
- (6) NORMAL
- (7) OVERALL CLOUD COVER APPROX FIVE PERCENT. TRACK SEGMENT

T1 APPROX 5 PERCENT BYND T2 APPROX 5 PERCENT.

- H. O.N. DISPOSITION TO [REDACTED]
- 3 DUPE/POS TO NATIONAL CUSTOMERS
- 6 DUPE/POS TO THEATER CUSTOMERS
- 1 DUPE/NEG TO THEATER CUSTOMER

I. NORMAL START-UP AND SHUT-DOWN WITH SHUTTLE MOTION. BETWEEN FRAMES 1-20. TIMING MARKS ON LEADING EDGE APPEAR UNDER EXPOSED ON ALL FORWARD FRAMES. CLOCK IS FORWARD DATA CHAMBER ENTERED IMAGE AREA 1/4 INCH INTERMITTENTLY THROUGHOUT MISSION AND APPEARED OUT OF FOCUS OCCASSIONALLY. A 4 DEGREE DEVIATION FROM PERPENDICULAR WAS NOTED WITH RESPECT TO DATA CHAMBER. TIMING MARKS APPEARED IN DASH FORM IN AFT LEADING EDGE THROUGH OUT ENTIRE MISSION. CAMERA RECYCLED IN FRAMES 482-510. SEVERAL PLUS DENSITY STREAKS WERE NOTED INTERMITTENTLY THROUGHOUT THE MISSION, NOT EXTENDING BETWEEN FRAMES. A MINUS DENSITY LINE, 1 1/4 INCHES FROM TRAILING EDGE APPEARED ON ALL AFT FRAMES. HANDLING SCRATCHES WERE NOTED AROUND FILM SPLICES. A SMALL EMULSION SCRATCH, 1 1/2 INCHES FROM TRAILING EDGE APPEARED IN PART ONE. MINUS DENSITY LINE, 1 1/4 INCHES FROM TRAILING EDGE ON ALL AFT FRAMES.

TOP SECRET

BT

25X1

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

Next 1 Page(s) In Document Exempt

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

25X1

NNNNZCZC572

FTP526/182110Z ZFF1 ZPO [REDACTED]

10 Oct 67 21 15z

BT

XXXXX

OPCEN [REDACTED]

21960

25X1

25X1

25X1

25X1

25X1

T O P S E C R E T 182105Z CITE [REDACTED]

25X1

IMMEDIATE [REDACTED]

INFO [REDACTED]

. BX 6729

B. INS TAPE EVALUATION REPORT

C. INS 010

D. 18/1315Z

E. 1. QUESTIONABLE ON APPROXIMATELY 20 LINES.

2. SATISFACTORY

3. SATISFACTORY

4. SATISFACTORY

5. SATISFACTORY

6. SATISFACTORY

7. SATISFACTORY

8. SATISFACTORY

9. SATISFACTORY

10. BETWEEN ELAPSED TIMES 06593 AND 06602, THE UNITS DIGIT WAS MISSING ON THE ELAPSED TIME RECORD. THE ELAPSED TIME WAS ESTIMATED TO BE 06597.

F. TAPE APPEARS GENERALLY SATISFACTORY. ERRORS CAN BE SALVAGED. TAPE EVALUATION IS DURING CAMERA OPERATIONS ONLY. CAGE RECORD SEEMS QUESTIONABLE IN CERTAIN AREAS DURING CAMERA OPERATIONS AND WILL BE CHECKED AGAINST FILM TO LOCATE ANY ERRORS.

T O P S E C

E T

BT

COMDR	[REDACTED]
DCO	[REDACTED]
M/C	[REDACTED]

25X1

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

25X1

25X1

OPCEN

18/1912Z

25X1

25X1

21952

T O P S E C R E T 181815Z CITE

IMMEDIATE

INFO IMMEDIATE

25X1

A. BX6729

B. FLASH REPORT AFTER PROCESSING

C. I

D. F

E. THE FILM ARRIVED IN GOOD PHYSICAL CONDITION WITH NORMAL EXPOSURE, MEDIUM CONTRAST, GOOD RESOLUTION, AND OPERATIONAL DATA RECORDING. APPROXIMATELY HALF OF FORWARD CLOCK IN THE IMAGE AREA THROUGHOUT MISSION ON FORWARD FRAMES. START-UP WAS NORMAL WITH OVERLAP AND SHUTTLE MOTION NOTED THROUGHOUT INITIAL 10 FRAMES. CAMERA RECYCLED FROM FRAMES 482-510. SHUT DOWN WAS NORMAL. EMULSION ABRASIONS IN THE FIRST 20 FRAMES WERE NOTED, 3" FROM TRAILING EDGE, 1" LONG INTERMITTENTLY OCCURRING APPROX EVERY FOOT. MINUS DENSITY LINE, 1 1/4" FROM TRAILING EDGE, ON ALL AFT FRAMES. DATA CHAMBERS UNDEREXPOSED AND OUT OF FOCUS FROM FRAME 702 THRU 930. PLUS DENSITY LINE 2 1/2" FROM LEADING EDGE ON FRAMES 776 THRU 862.

T O P S E C R E T

BT

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

COMDR	
DO	

25X1

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

18 OCT 67 06 48z

25X1
25X1

NNNNZCZC501

336/180645Z ZFF-1 ZPO

BT

XXXXX

24930

25X1
25X1
25X1
25X1

T O P S E C R E T 180637Z CITE

IMMEDIATE INFO PRIORITY

A. BX6729

B. SUPPORT TERMINATION MSG.

C. SUPPORT REQUIREMENT FOR ABOVE MISSION TERMINATED.

D. NONE.

T O P S E C R E T

BT

72

COMDR	09
DCO	1
M/C	23

25X1

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

Next 25 Page(s) In Document Exempt

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

25X1

NNNNZCZC333

122/162358Z ZFF-3 ZPO

BT

XXXXX

17 OCT 67 00 02z

25X1

25X1

25X1

21844

TOP SECRET 162356Z CITE

25X1

25X1 FLASH INFO PRIORITY

A. BX6729

B. MISSION GO-NO-GO MSG

C. DELAYED 24 HRS, PLANNED TAKE OFF TIME 18 OCT/0115Z.

D. PROJ HQS WILL RESUME GENERATION COUNTDOWN WITH

TANKER GO-NO-GO MSG AT APPROX 17 OCT/2015Z.

TOP SECRET

BT

NNNN

45

COMDR	B
DO	ay
7	S MP

25X1

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

Next 14 Page(s) In Document Exempt

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

25X1

NNNNZCZC252FTX739

160238Z ZFF-1 ZPO

BT

XXXXX

25X1

25X1

25X1

T O P S E C R E T 160237Z CITE WECEN 5110

IMMEDIATE

21799

16 OCT 67 03 21 Z

A. BX6729

B. 17/0230Z TO 17/0412Z OCT 67.

C. NO CHANGE

D. NO CHANGE

E. TYPHOON CARLA MOVING SOMEWHAT SLOWER THAN EXPECTED. 170000Z
POSITION NOW EXPECTED TO BE 18N 120E. 500 MB RIDGE STILL HOLDING WELL
OVER SOUTH CHINA.

T O P S E C R E T

BT

COMDN	
DCO	
M/C	

29

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

25X1

Next 3 Page(s) In Document Exempt

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

ZC00223

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

926/151710Z ZFF-1

BT

XXXXX

[REDACTED]

25X1

25X1

25X1

25X1

T O P S E C R E T 151709Z CITE [REDACTED]

IMMEDIATE [REDACTED] INFO PRIORITY [REDACTED]

[REDACTED]

EYES ONLY COMMANDER [REDACTED]

OX CART MISSION NUMBER BX6729 IS DELAYED 24 HOURS.

NEW ESTIMATED TIME OF DEPARTURE IS 17 OCT 67/0115Z.

T O P S E C R E T

BT

24

COMDR	<i>G</i>
DCO	<i>B</i>
M/C	<i>S B</i>

Approved For Release 2003/01/07 : CIA-RDP69B00041R001000010004-3

Next 2 Page(s) In Document Exempt

Next 18 Page(s) In Document Exempt


ILLEGIB

14 OCT 67 19 08z



BT

XXXXX



21751

25X1


25X1

25X1

25X1

T O P S E C R E T 141836Z CITE

IMMEDIATE INFO IMMEDIATE



A. BX6729

B. MISSION ALERT MSG

C. 0115Z/ 16 OCTOBER 67

D. 

25X1

E. NORTH VIETNAM.

F. TYPE I CAMERA 

25X1



25X1

G. BACK-UP AIRCRAFT REQUIRED. SAME EQUIPMENT AS PARA F.

H. DTFC TO LAUNCH BACK-UP ACFT AT APPROX 0215Z/ 16 OCT 67



IN EVENT PRIMARY ACFT GROUND/AIR ABORTS. THIS ALERT FOR MODIFIED

BLACK SHIELD CANNED ROUTE NBR 22B. FIRST PASS PRIMARY ROUTE ONE

A, OPTION ONE B. SECOND PASS PRIMARY ROUTE TWO A,

OPTION TWO B. A-50 ADDITIVE WILL NOT REPEAT WILL NOT BE

USED ON THIS MISSION.

COMDR	
DCO	
M/C	BS

T O P S E C R E T

BT

2

